




SIZE	QTY	SYM	PLATED	TOL
0.5	522	×	YES	+/-0.0
0.8	16	⊕ ^C	YES	+/-0.0
1	85	⊗	YES	+/-0.0
1.1	8	⊕ ^B	YES	+/-0.0
1.2	16	□	YES	+/-0.0
1.3	6	⊕ ^E	YES	+/-0.0
1.5	8	⊗	YES	+/-0.0
1.6	12	⊕ ^D	YES	+/-0.0
1.7	10	⊕ ^F	YES	+/-0.0
2	4	◇	YES	+/-0.0
2.2	8	⊕ ^A	YES	+/-0.0
3.2	4	+	YES	+/-0.0




JTA Design
Tripath TA0104 amplifier
Layer Drill Drawing
Design date: 2008-03-22
Version: 3.0




JTA Design	
Tripath TA0104 amplifier	
Layer	Silkscreen top
Design date: 2008-03-22	
Version: 3.0	




JTA Design
Tripath TA0104 amplifier
Layer Solder Mask Top
Design date: 2008-03-22
Version: 3.0




JTA Design
Tripath TA0104 amplifier
Layer Top Layer 1/4
Design date: 2008-03-22
Version: 3.0




JTA Design	
Tripath TA0104 amplifier	
Layer	Layer 2/4
Design date: 2008-03-22	
Version: 3.0	



JTA Design	
Tripath TA0104 amplifier	
Layer	Layer 3/4
Design date: 2008-03-22	
Version: 3.0	



JTA Design
Tripath TA0104 amplifier
Layer Bottom Layer 4/4
Design date: 2008-03-22
Version: 3.0



JTA Design	
Tripath TA0104 amplifier	
Layer	Solder Mask Bottom
Design date: 2008-03-22	
Version: 3.0	

