


SIZE	QTY	SYM	PLATED	TOL
0.3	324	+	YES	+/-0.0
0.9	8	⊗	YES	+/-0.0
1	25	□	YES	+/-0.0
1.2	31	+ <sup>B</sup>	YES	+/-0.0
1.6	2	⊗	YES	+/-0.0
0.9	2	⊗	NO	+/-0.0
3.2	1	+ <sup>A</sup>	NO	+/-0.0
3.3	2	◇	NO	+/-0.0

JTA Design
Energy logger
Layer:Drill Drawing
Design date: 2015-04-03
Version: 03


Energylogger 03

JTA 2015


JTA Design
Energy logger
Layer:Top Silkscreen
Design date: 2015-04-03
Version: 03




JTA Design
Energy logger
Layer:Solder Mask Top
Design date: 2015-04-03
Version: 03




JTA Design
Energy logger
Layer:Top Layer 1/4
Design date: 2015-04-03
Version: 03




JTA Design
Energy logger
Layer:Layer 2/4
Design date: 2015-04-03
Version: 03



JTA Design
Energy logger
Layer:Layer 3/4
Design date: 2015-04-03
Version: 03



JTA Design
Energy logger
Layer:Bottom Layer 4/4
Design date: 2015-04-03
Version: 03



JTA Design
Energy logger
Layer:Solder Mask Bottom
Design date: 2015-04-03
Version: 03



